

# George Fischer Type 567 Wafer Style Butterfly Valve

## Standard Features

- **Size**  
2"-12"  
(10" and 12" released Q4 2007)
- **Body**  
Glass filled Polypropylene Compatible with ANSI and DIN flanges
- **Wetted Materials**  
PVC, CPVC, PVDF, or Beta-Polypropylene EPDM or FPM
- **Disc**  
PVC, CPVC, PVDF, or Beta-PP
- **Stem**  
304 Stainless Steel
- **Seal**  
EPDM or FPM
- **Movement**  
Lockable lever moves in increments of 5 degrees or available with gear operator

## Optional Features





- **Actuation**  
Electric actuation  
Pneumatic actuation
- **Movement**  
Fine adjustment lever allows disc to be opened at any angle from 0° to 90°












## General

The unique double eccentric design from George Fischer means the disc is not in contact with the seal in the open position. The result is less wear and operating torques half our previous model. Better chemical compatibility is achieved because the inner body is the same material as the pipe. Type 567 is a wafer style butterfly valve rated for pressures up to 150PSI and temperatures of up to 80°C for Beta-PP and CPVC, 120°C for PVDF, and 60°C for PVC. Lever and gear operator are both available. In lever version, the opening angle is clearly indicated on the index plate. The unique Q-ring design insures a superior seal with virtually any type of flange without the need for additional gaskets.

# Product data for butterfly valve type 567



For non-GF actuators, breakaway torques 2.5 to 4 times the value of the moving torque must be taken into consideration, depending on the application conditions (e.g. control time, medium, temperature, etc.).



## Type 567 Bare shaft

Inch	psi	Cv-value	d	D	D1 min.	D1 max.	d2	D3	D4	H	H1	H2	H3	H4	H5	L
2	150	103	63	19	120.0	125.0	104	85.0	90.0	222	77	134	12	23	11	45
2½	150	154	75	19	139.7	145.0	115	85.0	90.0	235	83	140	12	23	11	46
3	150	210	90	19	150.0	160.0	131	85.0	90.0	247	89	146	12	23	11	49
4	150	455	110	19	175.0	190.5	161	85.0	90.0	287	104	167	16	23	14	56
5	150	805	140	23	210.0	215.9	187	85.0	90.0	313	117	181	16	23	14	64
6	150	1162	160	24	241.3	241.3	215	85.0	90.0	335	130	189	16	23	17	72
8	150	2772	225	23	290.0	295.0	267	85.0	90.0	387	158	210	19	23	17	73

Q1	d	Q2
35.74	63	
50.93	75	30.62
64.01	90	46.24
84.46	110	69.96
110.71	140	94.50
136.08	160	121.54
175.62	225	166.23

## Type 567 Bare shaft with Hand Lever

Inch	psi	Cv-value	d	D	D1 min.	D1 max.	d2	H	H1	H2	H3	L	L1	L2	Q1	Q2
2	150	103	63	19	120.0	125.0	104	264	77	134	54	45	106	205	35.74	
2½	150	154	75	19	139.7	145.0	115	277	83	140	54	46	106	205	50.93	30.60
3	150	210	90	19	150.0	160.0	131	289	89	146	54	49	106	205	64.01	46.24
4	150	455	110	19	175.0	190.5	161	325	104	167	55	56	106	255	84.46	69.96
5	150	805	140	19	210.0	215.9	187	352	117	181	55	64	106	255	110.71	94.50
6	150	1162	160	19	241.3	241.3	215	373	130	189	55	72	106	255	136.08	121.54
8	150	2772	225	19	290.0	295.0	267	435	158	210	67	73	140	408	175.62	166.23

## Type 567 Bare shaft with Gear Operator

Inch	psi	Cv-value	d	D	D1 min.	D1 max.	d2	H	H1	H2	H3	L	L1	L2	L3
2	150	103	63	19	120.0	125.0	104	264	77	134	54	45	106	205	236
2½	150	154	75	19	139.7	145.0	115	277	83	140	54	46	106	205	236
3	150	210	90	19	150.0	160.0	131	289	89	146	54	49	106	205	236
4	150	455	110	19	175.0	190.5	161	325	104	167	55	56	106	255	236
5	150	805	140	19	210.0	215.9	187	352	117	181	55	64	106	255	236
6	150	1162	160	19	241.3	241.3	215	373	130	189	55	72	106	255	236
8	150	2772	225	19	290.0	295.0	267	435	158	210	67	73	140	408	236

Q1	Q2
35.74	
50.93	30.60
64.01	46.24
84.46	69.96
110.71	94.50
136.08	121.54
175.62	166.23

# GF Piping Systems Product Lines

## Piping Systems

Schedule 40 PVC  
Hi-Strength Schedule 80 PVC and CPVC  
PROGEF® Polypropylene  
PPro-Seal™ Natural Polypropylene  
PROGEF® Natural PP-n Polypropylene  
SYGEF® Plus PVDF  
FuseBond™ PFA Schedule 40  
Fuseal® Corrosive Waste System  
Contain-It™ Secondary Containment  
Fusion Technology:

- Electro fusion featuring the MSA 250SE
- Socket fusion featuring the SG 110
- IR Plus®
- BCF Plus®

## Automation

Manual and Actuated Valves  
Solenoid Valves  
Pressure Regulating Valves  
Rotameters  
Signet Flow, Level and Analytical Instrumentation

## Custom Products

Specialty Components  
Pre-welded Spools and Assemblies

## Semifinished Products

Lining Laminates  
Stock Shapes (Sheet, Rod, Block)

CALORPLAST Heat Exchangers

**GF Piping Systems, Inc.**  
2882 Dow Avenue, Tustin, CA 92780  
Tel (714) 731-8800 / (800) 854-4090, Fax (714) 731-6201  
email: [us.ps@georgfischer.com](mailto:us.ps@georgfischer.com)  
[www.us.piping.georgfischer.com](http://www.us.piping.georgfischer.com)

SYGEF, PROGEF, PPro-Seal, Fuseal, Fuseal Squared, Contain-it, SIGNET, IR Plus, and BCF Plus are registered trademarks.  
FuseBond is the trademark of Saint-Gobain Performance Plastics.

### Australia

George Fischer Pty Ltd  
Kingsgrove NSW 2008  
Phone +61(0)2/95 54 39 77  
[sales@georgfischer.com.au](mailto:sales@georgfischer.com.au)  
[www.georgfischer.com.au](http://www.georgfischer.com.au)

### Austria

Georg Fischer Rohrleitungssysteme GmbH  
3130 Herzogenburg  
Phone +43(0)2782/856 43-0  
[office@georgfischer.at](mailto:office@georgfischer.at)  
[www.georgfischer.at](http://www.georgfischer.at)

### Belgium/Luxembourg

Georg Fischer NV/SA  
1070 Bruxelles/Brüssel  
Phone +32(0)2/556 40 20  
[info.be@be.piping.georgfischer.com](mailto:info.be@be.piping.georgfischer.com)  
[www.georgfischer.be](http://www.georgfischer.be)

### Brazil

George Fischer Ltda  
04795-100 São Paulo  
Phone +55(0)11/5687 1311

### China

Georg Fischer Piping Systems Ltd Shanghai  
Pudong, Shanghai 201319  
Phone +86(0)21/58 13 33 33  
[info@cn.piping.georgfischer.com](mailto:info@cn.piping.georgfischer.com)  
[www.cn.piping.georgfischer.com](http://www.cn.piping.georgfischer.com)

### Denmark/Iceland

Georg Fischer A/S  
2630 Taastrup  
Phone +45 (0)70 22 19 75  
[info@dk.piping.georgfischer.com](mailto:info@dk.piping.georgfischer.com)  
[www.georgfischer.dk](http://www.georgfischer.dk)

### France

Georg Fischer S.A.S.  
93208 Saint-Denis Cedex 1  
Phone +33(0)1/492 21 34 1  
[info@georgfischer.fr](mailto:info@georgfischer.fr)  
[www.georgfischer.fr](http://www.georgfischer.fr)

### Germany

Georg Fischer GmbH  
73095 Albershausen  
Phone +49(0)7161/302-0  
[info@dekapipe.de](mailto:info@dekapipe.de)  
[www.rls.georgfischer.de](http://www.rls.georgfischer.de)

Georg Fischer DEKA GmbH  
35232 Dautphetal-Mornshausen  
Phone +49(0)6468/915-0  
[info@dekapipe.de](mailto:info@dekapipe.de)  
[www.dekapipe.de](http://www.dekapipe.de)

### Greece

Georg Fischer S.p.A.  
10434 Athens  
Phone +30(0)1/882 04 91  
[office@piping-georgfischer.gr](mailto:office@piping-georgfischer.gr)

### India

George Fischer Piping Systems Ltd  
400 093 Mumbai  
Phone +91(0)22/820 2362  
[branchoffice@georgfischer.net](mailto:branchoffice@georgfischer.net)

### Italy

Georg Fischer S.p.A.  
20063 Cernusco S/N (MI)  
Phone +39(0)2/921 861  
[office@piping.georgfischer.it](mailto:office@piping.georgfischer.it)  
[www.georgfischer.it](http://www.georgfischer.it)

### Japan

Georg Fischer Ltd  
556-0011 Osaka,  
Phone +81(0)6/6635 2691  
[info@georgfischer.jp](mailto:info@georgfischer.jp)  
[www.georgfischer.jp](http://www.georgfischer.jp)

### Malaysia

Georg Fischer [M] Sdn. Bhd.  
47500 Subang Jaya  
Phone +60 (0)3-8024 7879  
[conne.kong@georgfischer.com.my](mailto:conne.kong@georgfischer.com.my)

### Netherlands

Georg Fischer N.V.  
8161 PA Epe  
Phone +31(0)578/678 222  
[info.vgnl@nl.piping.georgfischer.com](mailto:info.vgnl@nl.piping.georgfischer.com)  
[www.georgfischer.nl](http://www.georgfischer.nl)

### Norway

Georg Fischer AS  
1351 Rud  
Phone +47(0)67 18 29 00  
[info@no.piping.georgfischer.com](mailto:info@no.piping.georgfischer.com)  
[www.georgfischer.no](http://www.georgfischer.no)

### Poland

Georg Fischer Sp. z o.o.  
02-226 Warszawa  
Phone +48(0)22/313 10 50  
[www.georgfischer.pl](http://www.georgfischer.pl)

### Romania

Georg Fischer  
Rohrleitungssysteme AG  
70000 Bucharest - Sector 1  
Phone +40(0)1/222 91 36  
[office@georgfischer.ro](mailto:office@georgfischer.ro)

### Singapore

George Fischer Pte Ltd  
417 845 Singapore  
Phone +65(0)67 47 06 11  
[info@georgfischer.com.sg](mailto:info@georgfischer.com.sg)  
[www.georgfischer.com.sg](http://www.georgfischer.com.sg)

### Spain/Portugal

Georg Fischer S.A.  
28009 Madrid  
Phone +34(0)91/781 98 90  
[info@georgfischer.es](mailto:info@georgfischer.es)  
[www.georgfischer.es](http://www.georgfischer.es)

### Sweden/Finland

Georg Fischer AB  
12523 Älvsjö-Stockholm  
Phone +46(0)8/506 77 500  
[info@georgfischer.se](mailto:info@georgfischer.se)  
[www.georgfischer.se](http://www.georgfischer.se)

### Switzerland

Georg Fischer Rohrleitungssysteme [Schweiz] AG  
8201 Schaffhausen  
Phone +41(0)52 631 30 26  
[info@rohrleitungssysteme.georgfischer.ch](mailto:info@rohrleitungssysteme.georgfischer.ch)  
[www.piping.georgfischer.ch](http://www.piping.georgfischer.ch)

### United Kingdom/Ireland

George Fischer Sales Limited  
Coventry, CV2 2ST  
Phone +44(0)2476 535 535  
[info@georgfischer.co.uk](mailto:info@georgfischer.co.uk)  
[www.georgfischer.co.uk](http://www.georgfischer.co.uk)

### USA/Canada/Latin America/Caribbean

George Fischer Inc.  
Tustin, CA 92780-7258  
Phone (714) 731-8800, Toll Free (800) 854-4090  
[us.ps@georgfischer.com](mailto:us.ps@georgfischer.com)  
[www.us.piping.georgfischer.com](http://www.us.piping.georgfischer.com)

### Export

Georg Fischer Rohrleitungssysteme [Schweiz] AG  
8201 Schaffhausen  
Phone +41(0)52 631 11 11  
[export@piping.georgfischer.com](mailto:export@piping.georgfischer.com)  
[www.piping.georgfischer.com](http://www.piping.georgfischer.com)